- (A) Disinfectants are inactivated and ineffective when the implement to be disinfected is visibly contaminated with debris, hair, dirt, oils, particulates, and/or when heavily soiled. Thus, non-porous implements and all salon surfaces shall be thoroughly cleaned prior to disinfection.
 - (1) All used non-porous implements, including all types of brushes with synthetic bristles, shall first be cleaned with warm, soapy/detergent water of dirt, debris, and or bodily fluids, and then disinfected by completely immersing in an appropriate disinfectant prior to use on a new patron. A clean, covered container of adequate size shall be used for the wet disinfectant.
 - (2) All salon surfaces shall be thoroughly cleaned and then disinfected with an appropriate disinfectant before beginning a service.
 - (3) Disinfectants shall be prepared fresh at least daily. Disinfectants shall be prepared more than once a day if the solution becomes diluted or soiled.
 - (4) To ensure proper disinfection, non-porous implements and surfaces shall remain in contact with the appropriate disinfectant for the contact time recommended by the manufacturer, or for at least ten minutes if using a bleach solution.
- (B) Porous implements, including all types of brushes with natural bristles, shall be discarded after each use; and shall not be cleaned or disinfected for reuse.
- (C) All bottles and/or containers other than the original manufacturers' container used for application of an appropriate disinfectant shall be properly labeled as to the contents.
- (D) All spills of blood and/or bodily fluids shall be cleaned as soon as possible and disinfected with an appropriate disinfectant.
 - (1) Nonporous, single-use gloves shall be used to pick up waste.
 - (2) Any towel, cloth, or other item used to clean a spill of blood or bodily fluids shall be discarded by placing in double bags, or in a biohazard container.
 - (3) Any clothing affected by the spill shall be removed prior to returning to work.
 - (4) Any mops, brushes, buckets, or similar items used to clean the spill area shall be disinfected by immersing in a bleach solution mixed and used in accordance

4713-15-03

with rule 4713-1-01 of the Administrative Code.

(E) Any unused porous items shall be stored in a closed, dustproof cabinet, drawer, or container.